



# Smart Sliding Doors

**Stylish  
& Practical  
Energy Efficient  
Sliding Doors**

High performance Sliding Doors save space by gliding along a track instead of swinging open to provide easy access to outdoor areas

Energy Efficient seals and insulated framing provide a sound and weather barrier keeping you cooler in summer and warmer in winter

Select from our latest range of architectural colours

Thermotek Double Glazing

+



Insulated multi-chambered frame

+

High efficiency air tight dual seals

=

Highest rated protection against outside heat, cold and noise



Heating and Cooling Savings up to 50% plus up to 90% outside noise reduction

Industry best service, value and advice

[info@thermotekwindows.com.au](mailto:info@thermotekwindows.com.au) 1300 663 861



# Superior protection against outside heat, cold and

## High Efficiency

## THERMOTEK


## Double Glazing

6.38mm Laminated Security Glass\*

Insulating ARGON Gas Fill 4mm

Low E Safety Solar Glass\*


\*Upgrade Option



### Outside Glass - UPGRADE OPTION 6.38 mm Laminated Security Glass

Similar to glass used in car windshields, laminated glass is hard to break offering high security against accidental injury, attempted break-ins and severe weather conditions

Laminated glass offers protection against UV rays which can fade furnishings and carpets and can help Stop Outside Noise by up to 90% when applied to double glazing



### Gap Insulating ARGON Gas Fill

Argon Gas is a clear, dense, inert gas that is injected into your Double Glazing unit to increase insulation efficiency by up to 30% when used instead of common de-hydrated air

### Glass Options




Standard CLEAR




### Inside Glass - UPGRADE OPTION 4 mm Toughened Low E Solar Glass


Toughened Safety Glass, is four to five times stronger than standard glass and crumbles into small fragments or pebbles, rather than splintering into dangerous shards if struck by an extremely hard impact



Opaque



The addition of a Solar Control Low E coating reflects out strong radiant heat from the sun in summer while reflecting infrared heat back into your home in winter to substantially reduce heating and cooling costs all year round by up to 50%



Cathedral

### Industry Best U 1.0 - 2.3 Rating

### Insulated Multi-Chamber Frame

Energy Efficient Fusion welded frames containing multiple sealed air chambers provide superior insulation

### Industry Best Product Warranty

# 10yrs

Extended warranty from an industry average of 7 years to an impressive 10 years



Industry Best U 1.0 - 2.3

### Energy Efficient Seals

TPE (Thermoplastic Elastomer) seals are incorporated into the Multi-Chamber frame to further enhance thermal and acoustic performance

### Safe & Secure Multi-Point locking

Long Lasting Easy Winding mechanism

### Flyscreens are Included

1300 663 861

AUSTRALIAN MADE

Australian Standards AS1288 - AS2047 - AS4420

[thermotekwindows.com.au](http://thermotekwindows.com.au)



819 Nepean Highway BENTLEIGH Showroom  
38-40 Rushwood Drive CRAIGIEBURN Manufacturing



# Superior protection against outside heat, cold and noise

## High Efficiency

## THERMOTEK


## Double Glazing

6.38mm Laminated Security Glass\*

Insulating ARGON Gas Fill 4mm

Low E Safety Solar Glass\*


\*Upgrade Option



### Outside Glass - UPGRADE OPTION 6.38 mm Laminated Security Glass

Similar to glass used in car windshields, laminated glass is hard to break offering high security against accidental injury, attempted break-ins and severe weather conditions

Laminated glass offers protection against UV rays which can fade furnishings and carpets and can help Stop Outside Noise by up to 90% when applied to double glazing



### Gap Insulating ARGON Gas Fill

Argon Gas is a clear, dense, inert gas that is injected into your Double Glazing unit to increase insulation efficiency by up to 30% when used instead of common de-hydrated air


### Glass Options



Standard CLEAR


### Inside Glass - UPGRADE OPTION 4 mm Toughened Low E Solar Glass

Toughened Safety Glass, is four to five times stronger than standard glass and crumbles into small fragments or pebbles, rather than splintering into dangerous shards if struck by an extremely hard impact



Opaque

The addition of a Solar Control Low E coating reflects out strong radiant heat from the sun in summer while reflecting infrared heat back into your home in winter to substantially reduce heating and cooling costs all year round by up to 50%



Cathedral

### Industry Best U 1.7 Rating

#### Insulated Multi-Chamber Frame

Energy Efficient Fusion welded frames containing multiple sealed air chambers provide superior insulation

#### Energy Efficient Dual Seals

TPE (Thermoplastic Elastomer) seals are incorporated into the Multi-Chamber frame to further enhance thermal and acoustic performance

#### Safe & Secure Multi-Point locking


Long Lasting Easy Winding mechanism

#### Flyscreens are Included

### Industry Best Product Warranty

# 10yrs

Extended warranty from an industry average of 7 years to an impressive 10 years



Industry Best U 1.7

1300 663 861

AUSTRALIAN MADE

Australian Standards AS1288 - AS2047 - AS4420

[thermotekwindows.com.au](http://thermotekwindows.com.au)



819 Nepean Highway BENTLEIGH Showroom  
38-40 Rushwood Drive CRAIGIEBURN Manufacturing